


Gloria

70 993 92-3

INSTALLATION

1. Ta bort gaveln på samma sida som strömbrytaren genom att lossa skruven på gaveln.
2. Anslut kabeln till plinten via kabelinföring på armaturens ovansida eller genom knock-out öppningarna som finns i vardera gavel.
3. Sätt tillbaka gaveln och skruva fast skruven.



Ljuskälla: 13W och 21W T5 lysrör.
Montage: Dikt mot vägg.
Anslutning: Till plint 3x1,5mm².
Kapslingsklass: IP 20


MALMBERGS

Gloria

70 993 92-3

ASENNUS

1. Irroita virtakytkimen puolella olevan päädyn löysämällä ruuvi.
2. Liitä johto liittimeen johdon läpivientiaukon kautta joka on valaisimen yläosassa tai murrettavien läpivientiaihoiden kautta valaisimen päädyissä.
3. Kiinnitä päädyn takaisin paikalleen ja kiristä ruuvi.



Valonlähde: 13W tai 21W T5-loisteputki.
Asennus: Suoraan seinään.
Liitäntä: Liittimeen, 3x1,5mm².
Kotelointiluokka: IP 20.


MALMBERGS

Gloria

70 993 92-3

INSTALLATION

1. Unscrew the screw on the gable on the same side as the switch. Remove the gable.
2. Connect the cable to the terminal block through the cable inlet on top of the fitting or through the knock-out inlets at each gable.
3. Re-attach the gable and secure the screw.



Fluorescent tube: 13W and 21W T5.

Mounting: To wall.

Connecting: To terminal block 3x1,5mm².

Protection class: IP 20

MALMBERGS